

Triumph Activate – Dimmer Compatibility List

Product Code: RATR8POX0XX

Dimmer Brand: **Lutron**

Updated: 13.01.2016



Commercial Systems

Product	Model Number	Fittings	Range	Control Type (Reverse/Forward Phase)
Panel Module	HW/LP-RPM-4A-230	1-240 Per Channel	5% (20) - 95%	RP
Panel Module	HW/LP-RPM-4U-230-CE	1-219 Per Channel	15% (40) - 95%	FP
Panel Module	GP (Harrier) Card	1-175 Per Output	15% (35) - 95%	FP
Grafik QS/ Wallbox Power Module	Grafik Eye QS Main Unit Family, LQR-WPM-6PCE	1-62 Per Output	15% (38) - 95%	FP
Grafik Eye/ HomeWorks	GRX-3104-CE HWI-WPM-6D-230CE	1-100 Per Output	10% - 95%	FP
HomeWorks QS/ ESN Phase Adaptive	LQSE-4A-D (Gen. 2) QSNE-4A-D (Gen. 2)	1-76 Per Zone	5% (25) - 95%	RP
HomeWorksQS/ myRoom	LQSE-4A1-D/ MQSE-4A1-D/ MQSE-3A1/ MQSE-2A1-D, 240V	1-30 Per Output	5% (25) - 95%	RP

ROBUS[®]

Western Retail Park
Nangor Road
Dublin 12
Ireland

T +353 1 709 9000
F +353 1 709 9060
IRL Freefax 1800 281 282
UK Freefax 0800 973 221

Email info@ledgrouprobust.com
www.ledgrouprobust.com
www.robustdirect.com

Triumph Activate – Dimmer Compatibility List

Product Code: RATR8POX0XX

Dimmer Brand: **Lutron**

Updated: 13.01.2016



Residential Systems

Product	Model Number	Fittings	Range	Control Type (Reverse/Forward Phase)
Panel Module	HW/LP-RPM-4A-230	1-240	5% (20) - 95%	RP
Panel Module	HW/LP-RPM-4U-230-CE	1-219	15% (40) - 95%	FP
Panel Module	GP (Harrier) Card	1-175	15% (35) - 95%	FP
Grafik QS/ Wallbox Power Module	Grafik Eye QS Main Unit Family, LQR-WPM-6PCE	1-62	15% (38) - 95%	FP
Grafik Eye/ HomeWorks	GRX-3104-CE HWI-WPM-6D-230CE	1-100	10% - 95%	FP
HomeWorks QS/ ESN Phase Adaptive	LQSE-4A-D (Gen. 2) QSNE-4A-D (Gen. 2)	1-76	5% (25) - 95%	RP
HomeWorksQS/ myRoom	LQSE-4A1-D/ MQSE-4A1-D/ MQSE-3A1/ MQSE-2A1-D, 240V	1-30	5% (25) - 95%	RP

ROBUS®

Western Retail Park
Nangor Road
Dublin 12
Ireland

T +353 1 709 9000
F +353 1 709 9060
IRL Freefax 1800 281 282
UK Freefax 0800 973 221

Email info@ledgrouprobust.com
www.ledgrouprobust.com
www.robustdirect.com

Triumph Activate – Dimmer Compatibility List

Product Code: RATR8POX0XX

Dimmer Brand: **Lutron**

Updated: 13.01.2016



Interfaces				
Product	Model Number	Fittings	Range	Control Type (Reverse/Forward Phase)
-	NGRX-ELVI-CE with Grafik Eye QS Main Unit, 240V	1-150	5% (35) – 85%	RP
-	NGRX-PB-CE with Grafik Eye QS Main Unit, 240V	1-38	10% (40) - 95%	FP

Notes:

- Control types of FP and RP represent Forward Phase and Reverse Phase, respectively. See product IM for further reference.
- Values are based on light output using the specified dimming control, and may not be an indication of the fixture's full rated capability. Values are set to optimize performance, such as reducing dead travel, ensuring that fixtures turn on at low end, reducing turn-on time at low end, and trimming out instability. Software trim values are indicated in parentheses when applicable.
- Interfaces have been tested with the listed control; any compatible dimmer may be used instead, but high end/low end light levels may vary slightly.

ROBUS[®]

Western Retail Park
Nangor Road
Dublin 12
Ireland

T +353 1 709 9000
F +353 1 709 9060
IRL Freefax 1800 281 282
UK Freefax 0800 973 221

Email info@ledgrouprobust.com
www.ledgrouprobust.com
www.robustdirect.com