

LED Group

 Western Retail Park
 Nangor Road
 Dublin 12
 Ireland

 T +353 1 709 9000
 F +353 1 709 9060
 IRL Freefax 1800 281 282
 UK Freefax 0800 973 221

 Email info@ledgrouprobust.com
www.ledgrouprobust.com
www.robustdirect.com

DEXTER 6W directional dimmable downlight – Dimmer Compatibility List

Product Code: RDE6POX0D-01

Updated: 21.03.2018



#	Dimmer	Range	Result
1	ROBUS RLA200DT 5W Min 133W Max	25% - 100%	Compatible
2	ROBUS RLA200DTG 3W Min 133W Max	25% - 100%	Compatible
3	ROBUS L250 5W Min 125W Max	10% - 100%	Compatible
4	Varilight V-PRO 10W Min 100W Max	10% - 100%	Compatible
5	Hamilton H-LEDSTAT-GR 5W Min 100W Max	25% - 100%	Compatible
6	LightWave RF JSJSLW400WH 10W Min 120W Max	25% - 100%	Compatible
7	Lutron Rania 50W Min 450W Max	20% - 100%	Compatible
8	Rako RMT500 1W Min 500W Max	15% - 100%	Compatible

LED Group	Western Retail Park Nangor Road Dublin 12 Ireland	T +353 1 709 9000 F +353 1 709 9060 IRL Freefax 1800 281 282 UK Freefax 0800 973 221	Email info@ledgrouprobust.com www.ledgrouprobust.com www.robustdirect.com
-----------	--	---	--


Rest of EU

1	Busch-Jaeger 65234 100W Max	30% - 100%	Compatible
2	Eltako EUD61NPN-UC 100W Max	20% - 100%	Compatible
3	Jung 1224 LED UDE 20-420 100W Max	20% - 100%	Compatible
4	Jung 1271 LEDDE 100W Max	20% - 100%	Compatible
5	Jung 243 EX 5W Min 100W Max	30% - 100%	Compatible
6	Legrand 0670 83 400W Max	20% - 100%	Compatible
7	Legrand 0784 07 400W Max	20% - 100%	Compatible
8	NIKO 310-0280X 2W-100W 100W Max	15% - 100%	Compatible
9	PEHA 433 HAB 6W Min 60W Max	30% - 100%	Compatible
10	Schneider Electric S520511 40-600W	15% - 100%	Compatible
11	YOKIS MTV 500E 100W Max	20% - 100%	Compatible
12	Schneider SBD200LED 200W Max	25% - 100%	Compatible
13	Schneider CCT99100 100W Max	35% - 100%	Compatible

LED Group	Western Retail Park Nangor Road Dublin 12 Ireland	T +353 1 709 9000 F +353 1 709 9060 IRL Freefax 1800 281 282 UK Freefax 0800 973 221	Email info@ledgrouprobust.com www.ledgrouprobust.com www.robustdirect.com
-----------	--	---	--

Notes:

1. See detailed Dimmer Compatibility Matrices on next page with details of:

- a. No. of lamps tested
- b. Dimming range

✓ = Recommended ✗ = Not recommended - = Out of Range

2. Compatibility is based on fittings and dimmers being operated within manufacturer specifications (e.g. minimum and maximum **LED load** requirements of dimmer are met).

Please ensure to check the relevant dimmer instruction manual.



QUALITY **ROBUS**® PRODUCTS BY LED GROUP

LED Group

Western Retail Park
Nangor Road
Dublin 12
Ireland

T +353 1 709 9000
F +353 1 709 9060
IRL Freefax 1800 281 282
UK Freefax 0800 973 221

Email info@ledgrouprobust.com
www.ledgrouprobust.com
www.robustdirect.com
